

郑州阔途玻璃有限公司

Zhengzhou Kuotu Glass Co.,Ltd.

Tracy Chen
General Manager

Mobi1e Phone:+86-18939509087
WeChat/WhatsApp:+86-18939509087
E-mail:tracy@chinadragtech.com

Committed to automatic and intelligent glass
processing equipment.





About us

关于我们

01 关于我们

玻璃切割工具系列		
Glass Cutting Tools		01-04
玻璃钳子系列		
Glass Breaking Plier		05
搬运工具系列		
Glass Lifting Moving Tools		06-07
劳保用品系列		
Appliances For Labor Protection		08
打磨切割系列		
Abrasive Cutting & Grinding tools		09-11
玻璃钻头系列		
Diamond drills		11
UV灯/胶水系列		
UV lamp & UV glue		12
检测设备系列		
Detectors		13
电动工具系列		
Glass Power Tools		14-19
机械配件系列		
Machines&Accessories		20
小型机器系列		
Machines		21-23

目
录

C
o
n
t
e
n
t
s

编号Code: A1-1



WASON玻璃刀 WASON Glass Cutter

规格 Spec: 2-6mm、6-12mm、12-19mm

编号Code: A1-2



WASON 玻璃刀 WASON Glass Cutter

规格 Spec: 3-12mm

编号Code: A1-3

A. Copper Handle



B

玻璃刀 Glass Cutter

规格 Spec: 5-19mm

编号Code: A1-4

A. 日研 Nikken



A. KD

B. Wason玻璃刀

玻璃刀 Glass Cutter

规格 Spec: A: 2-5mm、6-12mm、15-19mm
B: 0.3-2mm、2-6mm、6-12mm、12-19mm

编号Code: A1-5



玻璃开介套装 Glass Cutting Set

Incl. Cutter and Score Runner

编号Code: A1-6



手动玻璃刀 Glass Cutting Set

Incl. Cutter and Score Runner

玻璃推刀 WASON T-Cutter

规格 Spec: 60cm、90cm、120cm、150cm、180cm
包装 Packing: 6pcs/carton

编号Code: A2-1-1

Visible Add Oil Tank (Extra Volume)

油缸 Oil Tank With Cutter Head

编号Code: A2-1-2

刀头 Cutter Head

编号Code: A2-1-3

推刀轮 Muting Guide Wheel

编号Code: A2-1-4

尺带 Scale Belt (Replaceable)

Reinforcement

Thick Wall

Cutting Wheel: Japanese Material Sharp And Durable

编号Code: A2-2

KD 玻璃推刀 KD T-Cutter

规格 Spec: 60cm、90cm、120cm、150cm、180cm
包装 Packing: 6pcs/carton



编号Code: A2-2-1

A. 进口WASON



B. KD



C. K-STAR



推刀刀头Cutter Head

	规格 Spec
A	2-6mm、6-12mm 12-19mm
B	2-6mm、6-12mm 12-19mm
C	3-7mm、8-15mm

编号Code: A3-1

编号Code: A3-1-1

圆规刀刀头
Circle Cutter Head



KD 圆规刀 KD Circle Cutter

规格 Spec: 60cm、120cm、160cm、200cm

编号Code: A3-2

编号Code: A3-2-1

油缸
Oil cylinder



KD 注油式圆规刀 KD Circle Cutter(Oil Feed Assy)

规格 Spec: 60cm、120cm、160cm、200cm

编号Code: A4

编号Code: A4-1

椭圆刀刀头
Oval Cutter Head



Kd椭圆刀 KD Oval Cutter

规格 Spec: 15-60cm、22-122cm、22-200cm

编号Code: A5-1

编号Code: A5-1-1






切圆台 Manual Round Cuttig Table

规格 Spec: 大:切500mm以下玻璃、小:切330mm以下玻璃
Big:For≤500mm Glass、Small:For≤330mm Glass

编号Code: A5-2

编号Code: A5-2-1





异形切圆台 Manual Shape Cuttig Table

规格 Spec: 切330mm以下玻璃 For≤330mm Glass

编号Code: A6-1

带刻度 scale


L矩形尺 L-Brace Ruler



规格 Spec: 650mm、950mm、1250mm、1650mm、1850mm

编号Code: A6-2

三角尺 Triangular Ruler



规格 Spec: 650mm、950mm、1250mm、1650mm、1850mm

编号Code: A6-3

L形尺 L Ruler



规格 Spec: 650mm、950mm、1250mm、1650mm、1850mm

玻璃钳子系列
Glass Breaking Tools

编号Code: A7-1	编号Code: A7-2	编号Code: A7-3
		
优质分边钳 Adjustable Breaking Plier	花边钳 Plier for Scallop	大头钳 Trimming Plier
规格 Spec:大 Big 5-25mm、中midium 5-15mm 小small 2-8mm	规格 Spec:6-12mm	

编号Code: A7-4	编号Code: A7-5	编号Code: A7-6
		
鹰嘴钳 Deburring Plier	平口钳 Plier with Flat Open	修边钳 Plier for Edge Trimming

编号Code: A7-7	
玻璃钳 Plier for Mosaic	

吸提搬运工具系列
Glass Lifting Moving Tools

编号Code: B1-1

WASON吸力王吸盘 WASON Powerful Cap Suction
最大吸力 Max Carrying Capacity:A:210kg、B:180kg

编号Code: B1-2

WASON 8寸真空充气吸盘 WASON 8 Inch Vacuum Suction
最大吸力 Max Carrying Capacity:100kg

编号Code: B1-3

WASON优质银色吸盘 WASON Silver Suction Cap
最大吸力 Max Carrying Capacity:A:150kg、B:100kg、C:50kg

编号Code: B1-4


WASON优质绿色吸盘 WASON Green Suction Cap
最大吸力 Max Carrying Capacity:A:140kg、B:110kg、C:50kg

编号Code: B1-5

KD黄色吸盘 KD Cap Suction
最大吸力 Max Carrying Capacity:A:150kg、B:100kg、C:50kg

编号Code: B1-6

Kd手泵式单抓吸盘 KD Hand Pump Cap Suction
最大吸力 Max Carrying Capacity:A:150kg、B:180kg

编号Code: B1-7

Kd角度可调吸盘 Angel Adjustable Suction
最大吸力 Max Carrying Capacity:35kg

编号Code: B1-8



手提玻璃搬运夹(单手) Hand Pinch Grab(Single)

最大吊重The biggest hoisting: 250kg


编号Code: B1-9



手提玻璃搬运夹(双手) Hand Pinch Grab(Double)

最大吊重The biggest hoisting: 100kg

编号Code: C1-1



护腕 Wristlet

编号Code: C1-2



防护服 Protection Cloth

编号Code: B2-2



玻璃小吊夹 Glass Pinch Grab(Small)

最大吊重 The biggest hoisting:500kg

编号Code: B2-3



玻璃大吊夹 Glass Pinch Grab(Big)

最大吊重 The biggest hoisting:1000kg

编号Code: C1-3



搬运手套 Gloves

规格 Spec: A/B:防滑 anti-skid 、C:防割 anti-cut 、D:搬运胶皮 Rubber Pad

编号Code: C1-4



软木垫片 Cork Pads

规格 Spec: A/B :15*15*1.5/2/3mm 、18*18*1.5/2/3mm

编号Code: B3-1



玻璃吊带 Glass Sling

规格 Spec:100 *3500 *3600 mm


编号Code: B3-2



玻璃捆绑绳 Fastening Rope For Glass

规格 Spec:80m* 54mm

编号Code: C1-5



玻璃护角/护夹 Glass Angel Protection/Clip


规格 Spec: B :5/6/8/10/12mm

编号Code: C1-6



B.刮胶棉 (Scraping Sponge)
Sponge in Roller For Seaming Edge Of Hollow Glass

编号Code: D1-1



石英石专用
锋利耐用
节能降耗
温馨提示

A. 石英石切割片 Resin Cutting Disc
B.

规格 Spec: 158 * 1.0 * 31.75(孔)mm

编号Code: D1-2



石材专用
美伦
114X20X1.8mm

A. 石材切割片 Resin Cutting Disc
B.

规格 Spec: 158 * 1.0 * 31.75(孔)mm

编号Code: D2-2



电镀磨片 Electroplated Grinding Disc

规格 Spec: 100 * 20(孔)mm 120#

编号Code: D2-3



电镀磨片(碗型) Electroplated Grinding Disc

规格 Spec: 100 * 20(孔)mm 120#

编号Code: D1-3



WASON TOOLS

金刚石切片 Diamond Cutting Disc

规格 Spec: 105 * 1.0 * 20(孔)mm
80 * 1.0 * 20(孔)mm

编号Code: D1-4



Makita
DIAMOND WHEEL
WET CUTTING FOR GLASS
No. A-01323 85 X 0.9 X 15MM
MAX. SPEED 1300 R.P.M.
342830
MADE IN JAPAN

牧田切割片(进口) Cutting Disc(For Makita)

规格 Spec: 80 * 0.9 * 15(孔)mm


编号Code: D3-1



平面砂布轮 Flap Wheel

规格 Spec: 100 * 16(孔)mm / A: 40#/60#/80/120#
B: 60#/80#/120#、C: 40#/60#/80#/120#

编号Code: D3-2



水磨片 WA/GC Griding Disc

规格 Spec: 100 * 16(孔)mm / A: 60#/80#、B: 60#/80#/120#

编号Code: D1-5



牧田切割片(国产) Cutting Disc(Wason)

规格 Spec: 80 * 1.0 * 15(孔)mm


编号Code: D2-1



烧结磨片 Sintered Diamond Grinding Disc

规格 Spec: 100 * 16(孔)mm , 120#/150#

编号Code: D3-3



水磨片 WA/GC Griding Disc

规格 Spec: 100 * 16(孔)mm / A: 60#/80#、B: 60#/80#/120#

编号Code: D3-4




PVA海绵抛光砂轮
SPONGY WHEEL
AMHUA C#80
标志
AMHUA ABRASIVES INDUSTRIAL CO.LTD

PVA PVA Spongy Polishing Wheel

规格 Spec: 100 * 16(孔)mm , 60#/80#/120#/220#/400#/600#

玻璃钻头系列
Diamond Drills

编号Code: D4-1



砂带 Sanding Belt

可定制Customized


编号Code: D5-1



钢丝棉 Steel Wool

规格 Spec:180*95*70mm

编号Code: D5-2



金刚石手擦 Diamond Hand Pad

规格 Spec:A/B:60#/120#/200#/400# 、C:120#/200#/400#

编号Code: E1-1



电镀手钻 Electroplated Straight Shank Core Drill Bit

规格 Spec :3-100mm

编号Code: E2-1



电镀倒角器 Electroplated Straight Shank Countersink

规格 Spec :20-60mm

编号Code: E3-1



免磨烧结钻 Diamond Drill(Dressing-free)

直径 :4-150MM

UV灯/胶水系列
UV Lamp & UV Glue

编号Code: F1-2



长/短双管无影灯/灯泡 UV Lamp (Two Tubes)

功率 Power : A:40W 、B:12W

编号Code: F1-3



大功率UV无影灯 Powerful UV Lamp

功率 Power :250W

编号Code: F1-4



四管无影灯 UV Lamp(Four Tubes)

功率 Power :60W

编号Code: F1-5



铝合金正反面灯/灯管 Tin Side Detector with ALU Alloy Shell

编号Code: F1-6



圆形无影 /灯泡 Round UV Lamp

功率 Power :125W

编号Code: G2-1



UV胶水 UV Glue

规格 Spec :250ml / AAA-01 、 AAA-02

编号Code: G2-2



进口小天鹅UV胶水 Loxeal UV Glue

规格 Spec :250ml,50ml / 30-20、30-21、30-23

编号Code: H1-1



Low-E测膜笔 Low-E Testing Pen

编号Code: J1-1



钻孔机 Drilling Machine

规格 Spec :A:220V/680W/50HZ/1100/2500/4500r/min
B:180W/220V/50HZ/1400r/min

编号Code: J2-1



气动简易磨边机 Portable Pneumatic Grinder

规格 Spec :220V/1680W/600-3000r/min

编号Code: H1-2



中空玻璃气动压机 Pneumatic Compressing Device for Insulating Glass

编号Code: H1-3



玻璃钢化检测仪 Tempered Glass Detector

编号Code: J3-1



简易多功能磨边机 Multifunctional Edge Grinding & Polishing Machine

规格 Spec : 220V/680W

编号Code: J3-2



简易多功能磨边机 Multifunctional Edge Grinding & Polishing Machine

规格 Spec : 220V/680W

编号Code: H1-5



多功能电动螺丝枪 Cordless Screwdriver with Types of Screws

编号Code: H2-1



划痕修复套装 Glass Scratch Removal Kits

角磨 机 Grinder:1020w,220v, 50Hz,13000r/min

干磨 片 Gring Disc(Dry use): 2"、3"

羊毛 片 Felt Pad: 2"、3"

海绵抛光盘 Sponge Polishing Pad: 2"、3"、5"

抛 光 膏 Polishing Cream: N/A

底 托 Connetting Base: 2"、3"、5"

编号Code: J4-1



手电钻(格锐牌) Hand Drill(GERUI)

规格 Spec : 400W

编号Code: J4-2



手电钻 Hand Drill(HG)

规格 Spec : 220V/400W/50HZ/0-2300r/min

编号Code: J5-1



切割机 Cutting Machine

规格 Spec : A:220V/1480W/50HZ/12200r/min

编号Code: J5-2



切割机 Cutting Machine

规格 Spec : A: ϕ 80mm,9.6V,1000r/min、B: 220V/1100W

编号Code: J6-3



博世角磨机 Grinder

规格 Spec : A: 600W/11000rpm/min、B: 850W/11000rpm/min

编号Code: J7-1



手提抛光机 Portable Polisher

规格 Spec :220V/1680W/600-3000r/min

编号Code: J5-3



牧田切割机 Cutting Machine

规格 Spec : 1600r/min

编号Code: J5-4



气动切割机 Pneumatic Cutting Machine

规格 Spec :11000r/min

编号Code: J7-2



优质抛光机 Polishing Machine

规格 Spec : 220V / 800W

编号Code: J7-3



优质抛光机 Polishing Machine

规格 Spec : 220V / 1010W

编号Code: J6-1



东成角磨机 Angle Grinder

规格 Spec : 220V/1020W/50HZ/13000r/min

编号Code: J6-2



迷你角磨机 Mini Angle Grinder

规格 Spec : 220V/12000r/min

编号Code: J7-4



日立抛光机 Polishing Machine (AAA)

规格 Spec : 220V / 430W

编号Code: H3-2-1



编号Code: J7-5



龙牌抛光机 Polishing Machine (A)

规格 Spec : 220V / 420W

编号Code: H3-3-1



编号Code: J7-6



气动抛光机 Pneumatic Polisher

规格 Spec :

编号Code: J8-1



清胶工具 EVA/PVB Film Remover for Laminated Glass

规格 Spec :

编号Code: J12-2



气动砂带机 Pneumatic Sanding Device

规格 Spec: 16000r/min

编号Code: J12-3



多功能砂带机 Grinding & Sanding Combi Lithium Electric

规格 Spec: 100W/6000-120000r/min

编号Code: J9-1



气动打磨套装 Pneumatic Grinding Set

规格 Spec :

编号Code: J11-1



倒角机 Glass Safety Corner Grinder

规格 Spec : For 2-5MM Radius

编号Code: J12-4




圆管砂带机 Sanding Machine for Round/Irregular Shape

编号Code: J12-5



东城带式砂光机

编号Code: J11-2



倒角机 Glass Safety Corner Grinder

规格 Spec : For 2-30MM Radius

编号Code: J12-1



五磨头气动砂带机 Pneumatic Sanding Device Five Sizes of Belts in One

规格 Spec: 16000r/min

编号Code: J13-1



手提式 LOW-E 除膜机 Low-e Coating Removal Hand Machine

直径 Dia : 10mm*50mm, 8mm*10mm

编号Code: J13-2



气动除膜机 Pneumatic Coating Remover for Low-E Glass

规格 Spec : 2500-4500r/min

编号Code: J13-3



手提式 Low-E 除膜机 Low-e Coating Removal Hand Machine

规格 Spec : 220V/50HZ 600-3000r/min

编号Code: J13-4



小型气动除膜机 Mini Portable Pneumatic Coating Removal Device for Low-E glass

编号Code: K1



传输链条和斜面胶粒 Conveyor Chain& Rubber Pad

规格 Spec: 4.5m

编号Code: K2



皮带/同步带 Timed Belt

可定制 Customized

编号Code: J14-1



砂布轮机 Mini Bench Grinder

编号Code: J15-1



轻便切割台 Mini Cutting Table

规格 Spec :200V/1000W/8000r/min


编号Code: K3



绿色圆带 Polyurethane Rope Belt

直径 Dia : 10mm*50mm、8mm*10mm

编号Code: L1



编号Code: J16-1



暴风机 Hot Wind Blower

规格 Spec : 220V/1500W、3000W



编号Code: K4



钢化炉防火绳 Kevlar Rope and Tape for Toughening Furnace

规格 Spec : 250mm/roll

台式Low-E除膜机 Low-E Coating Removal Table Machine

■ 配合除膜轮用于镀膜玻璃加工时, 除去玻璃边缘的金属层.

电源 Power supply	单项交流 220v 50Hz AC220V,single phase,50HZ
额定输入功率 Rate Power Input	2.2kw
空载转速 Max.Rotate Speed	2800r/min
除膜轮 Wheel Size	200×76.2×10mm
宽度可调尺寸 The Range of Coating Remvoal Size	10-100mm
厚度可调尺寸 Glass Thickness Range	可根据玻璃厚度随意调节 Thickness adjustable per the glass

Application:Fix with coating removal wheel, it' s special for removing the coating from glass surface

编号Code: L2



单头倒角机

- 将玻璃直角修成圆边, 实现手动升降磨头, 可根据玻璃厚度更换磨轮, 进行粗磨、抛光。

重量	Weight	200KG
电压	Voltage	380V/50HZ
最小玻璃加工	Min.Glass Size	200*200MM
最大玻璃加工	Max.Glass Size	800*1500MM
加工玻璃厚度	Glass Thickness	1-15mm
加工玻璃倒R角	Radius	R5-50MM (随机配两个R角磨具) with 2 Pcs Radius Mould

Application:Grinding & Polishing Glass Safety Corner.
Optional Radius,from R5-50mm,according to the radius mold.
Pneumatic up & down controlling for changing wheels.

编号Code: L3



数控弯圆机 Bending Machine


- 配折弯造型种类 (8+定制图形). Numerical control. 8 Kinds Layouts. Other layouts can be customized.

电压	Voltage	单相交流 220v 50Hz	Phase 220v 50Hz
输送速度	Conveying Speed	0-20M/Min	
气压	Pressure	6-8P	
系统	System	信捷PLC控制系统	XINJIE PLC

操作模式	Operation Mode	手动/全自动	Voltage
电机	Motor	2个伺服电机	Servo Motor
减速机	reducer	2个减速机	Reduction Box*2
屏幕	Screen	触摸屏	Touch Screen

Application: Mirror frame bending. Various shape.Easy operation.

编号Code: L5



快速倒棱角机 Seaming Machine

- 机械带有缓冲装置, 磨轮可前后调节, 能满足不同规格玻璃的磨边需求, 能在同一平面快速进行四边到菱, 具有性能稳定, 占地小, 耗能低, 操作简单, 安全高效等优点
- Forward & backward of grinding wheels are adjustable. With Buffer Units.
The good coagent for quick seaming purpose, for different sizes and shapes of glass.
Stable. Space Saving. Economic. Easy simple. efficient. Double grinder is available.

磨轮	Grinding Wheels	四边磨树脂轮*2 Seaming Resin Wheel * 2
电源电压	Voltage	380V
总功率	Total Power	2.2KW
整机尺寸	Total Size	2400*1250*1200
台面尺寸	Table Size	2400*700*800
最大加工尺寸	Max. Glass Size	1500*1500

Application: For glass seaming (Arris Grinding)purpose.

编号Code: L6



气浮磨边除膜一体机 Seaming & Coating Removal Machine with Pneumatic Floating Feeding

- 通过气动浮动送玻璃。防刮毡布。集尘功能。
Glass Feeding via Pneumatic Floating. Felt Cloth for Anti Scratch.
Dust Collection Function.

磨轮	Grinding Wheels	四边磨树脂轮*2(干磨) Seaming Resin Wheel * 2(Dry use) 除膜轮*1 Coating Removal Wheel * 1
电源电压	Voltage	380V
总功率	Total Power	3KW
除尘装置功率	Vacuum Cleaner Power	2.2KW
整机尺寸	Total Size	2400*1200*1200
台面尺寸	Table Size	2400*700*800
台面材质	Surface Material	气浮悬浮羊毛台布
最大加工尺寸	Max. Glass Size	1500*1500

Application: For Low-E glass, to seam glass Edge and to remove coating.

编号Code: L4



吊臂吸盘 Jib Crane Vacuum Glass Lifter

- 适用于移动中空玻璃/钢化玻璃/玻璃幕墙-最大承重400KGS 吸盘直径220mm. 400kgs maximum bearing capacity. 220mm suction diameter, 4 Pcs.

机器尺寸	Total Size	700mm x 700mm x 800mm
最小玻璃尺寸	Min. Glass Size	500mm x 800mm
吸盘重量	Suction Cup Weight	100-150KG
翻转	Rotating Angle	90°
桩高	Pillar Height	3.5M
臂长	Arm Length	4M
气压	Pressure	0.7-0.8Mpa
气缸行程	Cylinder Stroke	1.2M
悬臂起重机重量	Total Weight	500KG
悬臂起重机角度	Operating Angle	270°

Application: Suitable for lifting and moving , Glass Sheet/Insulating Glass/ Tempered Glass/Glass curtain wall/ Porcelain/Ceramic Slab/Sheet Metal etc.

编号Code: L7



直线磨边机 Grinding Table

- 适用于不同尺寸和形状的玻璃, 是快速研磨和抛光的好助剂。
稳定的节省空间。经济的简单明了。有效率的提供双研磨机。
- The good coagent for quick grinding & polishing purpose, for different size and shape of glass.
Stable. Space Saving. Economic. Easy simple. efficient. Double grinder is available.

电源电压	Voltage	单相交流 220V	Phase 220V
功率	Power	1.1KW	
整机尺寸	Total Size	1600*1000*1200	
最小加工玻璃尺寸	Min. Glass Size	180*180	
最大加工玻璃尺寸	Max. Glass Size	1600*700*800	
加工厚度	Glass Thickness	3-19MM(直/圆边)	3-19mm(FA/PE)

Application: To process glass edge quickly and conveniently.

编号Code: L8



滑轨推刀 Cutting Pusher

■ 用于瓷器、陶瓷板切割。可扩展长度。
For porcelain, ceramic slab cutting. Extendible Length.

配件	Spare Parts	分边钳*1	Scoring Runner
刀轮刀头	Cutting Head	刀轮刀头*3	Cutting Head*3
滑轨长度	Length	2.3M(1.5M+0.8M)	